

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification 7 : H04L 12/00</p>	<p>A2</p>	<p>(11) International Publication Number: WO 00/08802</p> <p>(43) International Publication Date: 17 February 2000 (17.02.00)</p>
<p>(21) International Application Number: PCT/US99/16999</p> <p>(22) International Filing Date: 27 July 1999 (27.07.99)</p> <p>(30) Priority Data: 60/095,146 3 August 1998 (03.08.98) US</p> <p>(71) Applicant: DOUBLECLICK INC. [US/US]; 32nd floor, 41 Madison Avenue, New York, NY 10010 (US).</p> <p>(72) Inventors: MERRIMAN, Dwight, A.; Apartment 2, 133 East 39th Street, New York, NY 10016 (US). O'CONNOR, Kevin, J.; 115 Central Park West #7B, New York, NY 10023 (US).</p> <p>(74) Agent: JACOBSON, Allan, J.; Intellectual Property Law, 13310 Summit Square Center, Route 413 & Doublewoods Road, Langhorne, PA 19047 (US).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published Without international search report and to be republished upon receipt of that report.</p>
<p>(54) Title: NETWORK FOR DISTRIBUTION OF RE-TARGETED ADVERTISING</p> <div style="text-align: center;"> </div>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SU	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

5

NETWORK FOR DISTRIBUTION OF RE-TARGETED ADVERTISING

10

Field of the invention

15

This invention relates to methods of delivery of advertisements and measuring responses to those delivered advertisements, and in particular relates to the targeting of advertisements delivered over networks such as the Internet.

Background of the invention

20

25

In advertising, it is considered highly desirable to target advertisements to the appropriate potential customer base, rather than to broadcast advertisements in general. It has long been known that, for example, advertisements for computers should generally not appear in magazines on gardening and, conversely, advertisements for gardening tools should not appear in magazines on computers. Similarly, advertisers have generally targeted their advertisements on television to programs appropriate for the desired customer base.

30

Internet advertising

35

40

The recent development of on-line networks, such as America On-Line, CompuServe, and the Internet, has led to "on-line" advertising. For example, on the Internet, often such on-line advertisements will appear on a web page, such as an ad banner on the top or the bottom of the page. When the user views a web page using a browser such as Internet Explorer or Netscape, the ad banner appears at the appropriate location. The user may then try to find out more information regarding the advertisement by selecting the advertisement (clicking through on that banner) by the use of the mouse or other pointing device. Clicking on an ad banner (click through) causes an HTTP message to be generated by the browser using the information encapsulated in association with the ad banner. Click through sends a request for an object with a given URL address to a different appropriate web site to access, for example, the advertiser's home page.

45

50

Nonetheless, such ad banner advertising has had, so far, a poor rate of response because it is untargeted advertising. Thus, someone who is totally uninterested in computers other than they happen to be on the Internet, may continually see advertisements for computers. On the other hand, someone who is interested in computers may continually see

55

5 advertisements for gardening tools when browsing through a particular web
site. Thus it is highly desirable to have a method of targeting the
advertising to the appropriate user. In addition, it is also important for
the advertisers to track response to the advertisements and to acquire as
10 much information about those people responding to the advertisements for
targeting those same people at later dates.

Advertising server technology

15 Targeted advertising

Targeted advertising is the selection of advertising based on some
characteristic of the viewer. For example, displaying an ad at a particular
time of day in a certain web site relies on the demonstrated demographics of
the viewership for that web site at that time of day. Various criteria for
20 selection of targeted advertising include:

1. The number of times the advertisement has been previously viewed by the user,
2. the user's ID,
- 25 3. the user's IP address,
4. the user's cookie,
5. the user's login code,
6. the user's digital certificate,
7. the user's geographic location,
- 30 8. the user's time zone,
9. the user's country,
10. the user's domain type,
11. the user's Internet service provider,
12. the user's organization type,
- 35 13. the user's employer,
14. the user's industry type,
15. the user's company size,
16. the user's number of employees,
17. types of advertisements previously viewed by the user and
- 40 18. types of advertisements previously clicked by the user.

To deliver targeted advertising on the Internet, an advertising
server is provided as a node on the network. The various advertising
45 banners are stored on the network advertising server. When a user using a
web browser accesses a web page that is affiliated with the advertising
server (an affiliate web site), the affiliate's web page encoding includes
an embedded reference to an object provided by the advertising server. The

50

55

5 imbedded reference causes the user's browser to contact the advertising server to provide the advertising image or information that will appear on the accessed web page as displayed by the user's browser. Using the address information and/or other information passed by the user's browser to the advertising server, including the page being accessed by the user; the
10 advertising server determines an appropriate advertisement to select for the particular user.

If the user decides to respond to the advertisement selected by the advertising server by clicking on the ad banner, the advertising server
15 logs the fact of click through in order to have more information about the given user and to collect statistics on the effectiveness of the advertisement. A process derive for deriving a user profile is used for compiling information on users of TCP/IP networks for use by the advertising server. By compiling the information on networks and user
20 selections, the advertising server is able to compile information that can be used for targeting advertising.

Also in response to user click through, the advertising server provides the URL of the advertiser's web site to which the selected banner
25 relates. Thus, a system comprising the user's browser, one or more affiliate web sites, one or more advertiser web sites and at least one advertising server, form a network for the distribution of targeted advertising from the advertiser to the affiliate and ultimately to the viewer. The terms "advertising server" and "advertisement server" are used
30 interchangeably herein to refer to a server on a network that selects an advertisement for display to a user.

For targeted advertising, past behavior of other users are used to gauge the effectiveness of advertising. Banner ads that were not clicked on
35 are less likely to be selected for display to other users in the future, while banner ads that had a high click through rate are more likely to be selected for display to others in the future. Direct ads that do not result in a sale are less likely to be selected for display to other users in the future, while direct ads that do result in a sale are more likely to be
40 selected for display to others in the future.

In a similar fashion, behavior at the advertiser's web site is used to gauge the effectiveness of the advertiser's web pages. Web pages that promote responses (further browsing, making a purchase or providing
45 information) are more likely to be used in the future, while advertiser web pages that are not effective in promoting a response are less likely to be used by the advertiser in the future.

50

55

5 SUMMARY OF THE INVENTION

Re-targeted advertising

10 While targeted advertising uses past actions of other viewers to select a present ad, re-targeted advertising uses the past responses of the present viewer to select a present ad. In comparison to targeted advertising in which an ad is selected based on responses of other viewers, re-targeted advertising is history specific to the present user. The present invention is embodied in a system by which present viewers who have been previous
15 viewers of untargeted (or targeted) advertising, are re-targeted based on their past response to the prior (targeted or untargeted) advertising. More specifically, the present invention is embodied in a system whereby a new follow up (re-targeted) advertisement from a specific advertiser who targeted that viewer previously, is selected for that viewer based on the
20 viewer's own past behavior at that specific advertiser's web site.

To implement re-targeted advertising, a list of actions of each visitor at each advertiser's site is collected and reported back to the advertisement server. In one embodiment, the advertiser's web site reports
25 activity in real time. In another embodiment, the advertiser's web site keeps a user log file of visitor activity and reports the user log file back to the advertisement server. Reporting of user log files may be by email or any other file transfer technique back to the advertisement server, where the user log files and other user data are merged.

30 Reported advertising log files and other user data form a database at the advertisement server, used for selecting re-targeted advertising. Advertisements based on prior behavior of the current viewer are selected based on a variety of criteria. Various criteria for selection of re-targeted advertising include:

- 35 1. whether there was no purchase made after several recent visits,
- 40 2. whether there was no purchase made but a specific product or product category was reviewed.
3. whether there have been many recent purchases made at the advertiser's web site,
- 45 4. whether there have been prior purchases or visits made some time ago, but no recent purchases or visits made at the advertiser's web site, and

50

55

5 5. whether the user has registered at the advertiser's web site.

 Using one or more of each of the foregoing criteria, a re-targeted ad is selected by the advertising server for display at the user's browser. Re-target ads may be any of,

10

1. mailing a special coupon for a given product to prior visitors who have looked at web pages for such given product, but have not purchased,

15

2. sending a reminder message to past purchasers who have not purchased in the last 90 days, or

3. sending a reminder message to the top 10% of an advertiser's customers.

20

 As a result of collecting user activity lists, the data is mined for prospects for future advertisements. A configured list of users is selected and stored for future re-targeting. Then, when the advertising server receives a request to select an advertisement, it checks the user identity in a look up table to see if the user has been previously selected for re-targeting. If the user is on the previously configured list, a re-targeted ad is selected.

25

Brief description of the drawings

30

 Figure 1 is a block diagram of a system for automatic placement of re-targeted advertisements in accordance with the present invention.

35

 Figure 2 is a block diagram illustrating two alternate embodiments of a data collection system for reporting user activities at an advertiser's web site to an advertising server in accordance with the present invention.

40

 Figure 3 is a block diagram illustrating the selection of re-targeted advertisements from past user activity.

Detailed description

45

 An network in accordance with one embodiment of the present invention is shown in Figure 1. In particular, a system for the delivery of advertising over networks includes a user with a browser 10. The system includes at least one affiliate web site 12. An affiliate web site is a publisher or other content provider having advertising space 20 to fill. Central to the ad network system is an advertising server 14, which

50

55

5 includes a predictive model and algorithms for selection of advertising in
accordance with various criteria. The advertising server 14 further
communicates with a database 24, which contains the activity history of
users on various web sites. Also part of the system network is one or more
10 advertiser web sites 16. Advertiser web sites can be generalized as any
type of commerce engine. An activity list (lists of user activities at the
advertiser's web site) are compiled in the advertising web site 16. A
feedback path 18 permits the advertiser web site to communicate the
activities of visitors to at the advertiser's web site 16, back to the
15 advertising server 14.

The feedback path 18 may be achieved by a number of alternative
mechanisms. For bulk feedback of data accumulated in a user activity list,
the advertiser periodically emails the information directly, or transfers
20 it in bulk form in a file transfer operation. Activity list updates are
performed as often as necessary, and may even be reported at the conclusion
of each individual visit.

25 In a second embodiment, feedback of individual activities of the user
at an advertiser site 16 may be communicated in real time back to the
advertising server 14 using by spotlight tags placed on specific pages in
the advertiser's web site. A spotlight tag is a minimal graphic (e.g., a
one pixel image) containing a redirect message back to the advertising
30 server 14. Spotlight tags are placed on web pages by the advertiser and
contain other imbedded information such as information identifying the
specific advertiser web page (as for example, identifying a purchase
confirmation page stating "thank you for your order" etc.)

35 When the user requests (i.e., visits) an advertiser page containing a
spotlight tag, a reply message 15 redirects the users browser 10 back to
the advertising server 14 via request 13 to access the minimal one pixel
graphic image. The requested image is not significant to the event.
40 However, by this process, the advertiser web site 16 provides real time
reporting of user activities while the user is in the advertising web site
16. The advertising server 14 assembles the activity list for each user. In
yet another alternative embodiment a specially configured proxy server is
interposed between the user's browser 10 and the advertiser's web site 16.
45 The proxy server intercepts, interprets and monitors transactions between
the user's browser 10 and the advertiser's web site 16.

In operation, when a user browsing on the Internet accesses an

50

55

5 affiliate's web site 12, which would typically include media content and
advertising space 20, the user's browser 10 generates an http message to
request the information from the desired web page. In response to the http
message, the affiliate's web site 12 transmits one or more reply messages
10 back to the user's browser 10 containing the information to be displayed to
the user 10. In addition, for the content of the advertising space 20, the
affiliate web site 12 forwards a redirect message containing the URL of the
advertising server 14. The browser is redirected to the advertising server
14 which selects an appropriate advertisement for the advertising space 20.

15 At the advertising server 14, a banner advertisement to be displayed
in the advertising space 20 is selected from a local database 24 containing
advertising information and user data. The selected ad banner is then
displayed to the user. Upon clicking through when the user selects the
20 advertising banner 20, the browser 10 is connected to the advertiser's web
site 16. Targeted advertisements are ads selected by identifying the user
and matching an advertisement to the user, based on various criteria. Re-
targeted advertisements are selected by matching past behavior of a
particular user to that particular user's past activities.

25 Two of the ways of collecting past user activity are illustrated in
Figure 2. An advertiser web site comprises linked pages such as a home page
28, one or more product description pages 30, one or more registration
pages 32, one or more purchase order pages 34 with corresponding purchase
confirmation pages 40. Each of the advertiser web pages include a
30 corresponding spotlight tag. For example, product description page 32 has a
tag 31, registration page 32 has a spotlight tag 31, purchase order page 34
has spotlight tag 35, and confirmation page 40 has a spotlight tag 41.

35 When the viewer access any page having at spotlight tag 31, 33, 35
and 41, a reply message back to the browser 10 redirects the browser to
send a message 13 back to the advertising server 14. Receipt of the message
40 13 back at the advertising server 14 in effect, reports (in real time) to
the advertising server that the user has accessed the a respective page
while browsing at the advertiser's web site. Reported user activity is
stored in the local database 24 for further processing.

45 Alternatively, the user activity list 42 is compiled at the
advertisers web site. The activity list is reported back 44 to the
advertising server 14 by email or ftp (file transfer protocol).

50

55

5 User privacy is preserved because the user is never specifically identified. The user ID in table 42 is typically assigned arbitrarily using cookie enabled browser features. At no time is any personally identifiable information stored in the server or used for contacting an individual.

10 Use of the user activity list to generate and distribute re-targeted advertisements is illustrated in figure 3. Past user activity is stored in an activity table 63 (part of database 24 in figure 1). The stored data is evaluated and matched to selection criteria at step 66 to determine those users suitable for re-targeting. An example selection criterion is a screen
15 meeting the following parameters: users who looked at product X description at a given web site at least twice in the last two weeks, but did not purchase. The result of the selection criteria step 66 is to generate a list of user ID's suitable for future re-targeting. The derived list of candidate
20 user ID's is stored in a lookup table 64.

 In operation, a user browser ID (illustrated as user 123) visits a affiliate web site, such as AltaVista 50, Travelocity 54, Dilbert 56 or any of 60+ other affiliated web sites on the network. The ad banner space 52
25 contains a redirect to the advertising server (14 in figure 1) where an ad banner corresponding to a selected advertiser will be selected for delivery to the AltaVista web page.

 At the advertising server the user ID is determined at step 62. The
30 user ID is looked up in the list of user ID's pre-selected for a re-targeted advertisement. If the user is found in the table 64 as having been pre-selected, then the pre-selected ad banner is delivered to the AltaVista web page. For example, a discount coupon for product X may be delivered.

35 In such manner, past activities of users is used as criteria for selection of re-targeted advertising.

40

45

50

55

5

What is claimed is:

1. A network comprising:

10

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

15

an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request from said user node to provide advertising content, said advertiser node further providing a feedback signal representing the prior activities of said user at said advertiser node in the past; and

20

an advertisement server node responsive to a request from said user node and said feedback signal from said advertiser node, to select said advertiser node as a selected advertiser node, and identify said selected advertiser node to said user node,

25

whereby advertising content corresponding to said selected advertiser node for display at said user node is selected at said advertisement server node based on said prior activities of said user at said advertiser web site.

2. A network in accordance claim 1, further comprising:

30

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node, to provide media content, advertising space for display of said advertising content and a redirect message to said user node, said advertisement server node responsive to said redirect message from said user node, as forming said request from said user node to provide said advertising content.

35

40

3. A network in accordance claim 1, wherein said feedback signal representing said prior activities at said advertiser node is an email message from said advertiser node to said advertisement server node, said email message providing a list of prior activities of said user at said advertiser web site.

45

4. A network in accordance claim 1, wherein said feedback signal representing said prior activities at said advertiser node is a file transfer protocol (FTP) message from said advertiser node to said advertisement server node, said FTP message providing a list of prior activities of said user at said advertiser web site.

50

55

5

5. A network in accordance claim 1, wherein said feedback signal representing said prior activities at said advertiser node is a tag identifying a specific advertiser web page and containing a redirect message from said advertiser node to said advertisement server node, said tag indicating a prior activity of said user at said advertiser web site.

10

15

6. A network in accordance claim 1, wherein said feedback signal representing said prior activities at said advertiser node is provided by a proxy server, said proxy server interposed between said user node and said advertiser web site, said proxy server coupled to said advertisement server node, to provide a list of prior activities of said user at said advertiser web site.

20

7. A network in accordance claim 1, wherein at least one of said prior activities is which web page was visited on said advertiser web site.

25

8. A network in accordance claim 1, wherein at least one of said prior activities is whether said user made a purchase on said advertiser web site.

30

9. A network in accordance claim 1, wherein at least one of said prior activities is whether said user has become registered on said advertiser web site.

35

10. A network in accordance claim 1, wherein said prior activities are listed in a stored table.

11. A network in accordance claim 10, wherein where a list of retargeted advertisements are created from said stored table.

40

12. A network in accordance claim 11, wherein a retargeted advertisement is created for a given user if said given user made more than one recent visit to said advertiser web site to review a given product, but did not purchase said given product.

45

13. A network in accordance claim 12, wherein said retargeted advertisement created for said given user is a coupon to purchase said given product as said advertiser web site.

50

14. A network in accordance claim 11, wherein a retargeted advertisement is created for a given user if said given user made a purchase prior to a predetermined time in the past at said advertiser web site, but did not make a purchase subsequent to said predetermined time in the past at said advertiser web site.

55

5

15. A network in accordance claim 14, wherein said retargeted advertisement is a reminder message containing said advertiser web site.

10

16. A network in accordance claim 11, wherein a retargeted advertisement is created for a given user if said given user made a predetermined amount of purchases within a predetermined time period in the past at said advertiser web site.

15

17. A network in accordance claim 16, wherein said retargeted advertisement is a message indicating appreciation to the best customers of said advertiser web site.

20

18. A network in accordance claim 1, wherein said advertisement server node selects an advertising banner to identify said selected advertiser node to said user node.

25

19. In a network responsive to a user node having a browser program coupled to said network, said user node providing requests for information on said network, and having advertising space for display of advertising content at said user node, and an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request from said user node to provide advertising content, a network node comprising:

30

35

an advertisement server node responsive to a request from said user node and a feedback signal from said advertiser node representing the prior activities of said user at said advertiser node in the past, to select said advertiser node as a selected advertiser node and identify said selected advertiser node to said user node, whereby advertising content corresponding to said selected advertiser node for display at said user node is selected at said advertisement server node based on said prior activities of said user at said advertiser web site.

40

20. A network node in accordance with claim 19, wherein said advertisement server node selects an advertising banner to identify said selected advertiser node to said user node.

45

21. In a network including a user node having a browser program coupled to said network, said user node providing requests for information on said network, said user node having space for display of advertising content at said user node, said network comprising:

50

55

5 an advertiser node having an advertiser web site, said advertiser node including a plurality of web pages and providing a feedback signal representing the prior activities of said user at said advertiser node in the past; and

10 an advertisement server node responsive to a request from said user node and said feedback signal from said advertiser node, to identify said advertiser node as a selected advertiser node to said user node, whereby advertising content corresponding to said selected advertiser node for display at said user node is selected at said advertisement server node based on said prior activities of said user at said advertiser web site.

15 22. A network node in accordance with claim 21, wherein said advertisement server node selects an advertising banner to identify said selected advertiser node to said user node.

20 23. In a network including a user node having a browser program coupled to said network, an advertiser node having an advertiser web site, and an advertisement server node having an advertising server web site, a method for delivery of advertising to said user node, said method comprising:

25 recording the prior activities of said user in said advertiser web site at said advertiser node;

30 sending a record of said prior activities of said user at said advertiser web site to said advertisement server node;

35 receiving a request at said advertisement server node from said user node; and

selecting an advertisement at said advertisement server node responsive to said request from said user node based on said record of said prior activities to form a selected advertisement; and

40 sending a reply from said advertising server web site identifying said selected advertisement to said user node.

45 24. A method in accordance with claim 23, wherein said network further includes a content provider affiliate node having a respective affiliate web site containing media content, advertising space for display of advertising content, said method further comprising:

50 sending a request for information from said user node to said affiliate web

55

5

site requesting information;

10

sending a reply from said affiliate web site to said user node responsive to said request for information from said user node, said reply containing media content, advertising space for display of advertising content and a redirect message;

15

sending a request from said user node based on said redirect message to said advertising server web site to provide said selected advertisement for said advertising space; and

displaying said selected advertisement in said advertising space at said user node.

20

25. A network method in accordance claim 23, wherein said step of sending a record of said prior activities of said user at said advertiser web site to said advertisement server node includes sending an email message from said advertiser node to said advertisement server node, said email message providing a list of prior activities of said user at said advertiser web site.

25

30

26. A network method in accordance claim 23, wherein said step of sending a record of said prior activities of said user at said advertiser web site to said advertisement server node includes sending a file transfer protocol (FTP) message from said advertiser node to said advertisement server node, said FTP message providing a list of prior activities of said user at said advertiser web site.

35

27. A network method in accordance claim 23, wherein said step of sending a record of said prior activities of said user at said advertiser web site to said advertisement server node includes providing a tag identifying a specific advertiser web page and containing a redirect message from said advertiser node to said advertisement server node, said tag indicating a prior activity of said user at said advertiser web site.

40

45

28. A network method in accordance claim 23, wherein said step of sending a record of said prior activities of said user at said advertiser web site to said advertisement server node includes providing a proxy server, said proxy server interposed between said user node and said advertiser web site, said proxy server coupled to said advertisement server node, to provide a list of prior activities of said user at said advertiser web site.

50

29. A network method in accordance claim 23, wherein at least one of said

55

- 5 prior activities is which web page was visited on said advertiser web site.
30. A network method in accordance claim 23, wherein at least one of said
10 prior activities is whether said user made a purchase on said advertiser web site.
31. A network method in accordance claim 23, wherein at least one of said
15 prior activities is whether said user has become registered on said advertiser web site.
32. A network method in accordance claim 23, further comprising listing
20 said prior activities in a stored table.
33. A network method in accordance claim 32, further comprising creating a
list of retargeted advertisements from said stored table.
34. A network method in accordance claim 33, further comprising creating a
25 retargeted advertisement for a given user if said given user made more than one recent visit to said advertiser web site to review a given product, but did not purchase said given product.
35. A network method in accordance claim 34, further comprising creating
said retargeted advertisement for said given user as a coupon to purchase
30 said given product as said advertiser web site.
36. A network method in accordance claim 33, further comprising creating a
retargeted advertisement for a given user if said given user made a
purchase prior to a predetermined time in the past at said advertiser web
35 site, but did not make a purchase subsequent to said predetermined time in the past at said advertiser web site.
37. A network method in accordance claim 36, further comprising creating
said retargeted advertisement as a reminder message containing said
40 advertiser web site.
38. A network method in accordance claim 33, further comprising creating a
retargeted advertisement for a given user if said given user made a
predetermined amount of purchases within a predetermined time period in the
45 past at said advertiser web site.
39. A network method in accordance claim 38, further comprising creating
said retargeted advertisement as a message indicating appreciation to the
50 best customers of said advertiser web site.
- 55

5 40. A network method in accordance claim 23, further comprising selecting an advertising banner to identify said selected advertiser node to said user node.

10 41. In a network responsive to a user node having a browser program coupled to said network, said user node providing requests for information on said network, and having advertising space for display of advertising content at said user node, an advertisement server node, and an advertiser node having an advertiser web site including advertising content, said advertiser node
15 responsive to a request from said user node to provide advertising content, a network method comprising:

receiving a request from said user node at said advertisement server node;

20 receiving a feedback signal from said advertiser node at said advertisement server node, said feedback signal representing the prior activities of said user at said advertiser node in the past,

25 selecting said advertiser node as a selected advertiser node based on said feedback signal representing the prior activities of said user at said advertiser node in the past; and

identifying said selected advertiser node to said user node.

30 42. A network method in accordance with claim 41, further comprising selecting an advertising banner to identify said selected advertiser node to said user node.

35 43. In a network including an advertiser node having an advertiser web site including a plurality of web pages, an advertisement server node, and a user node having a browser program coupled to said network, said user node providing requests for information on said network, said user node having space for display of advertising content at said user node, a network
40 method comprising:

45 providing a feedback signal from said advertiser node to said advertisement server node, said feedback signal representing the prior activities of said user at said advertiser node in the past; and

50 identifying at advertisement server node, said advertiser node as a selected advertiser node to said user node responsive to a request from said user node and said feedback signal from said advertiser node, whereby

55

5 advertising content corresponding to said selected advertiser node is
selected for display at said user node based on said prior activities of
said user at said advertiser web site.

10 44. A network method in accordance with claim 43, further comprising
selecting an advertising banner to identify said selected advertiser node
to said user node.

15

20

25

30

35

40

45

50

55

FIG. 1




FIG. 2




FIG. 3

